

ÚVOD

Na standardní, i povrchové řemeny, lze nasadit velkou škálu unašečů pro uchopení transportovaných či tříděných předmětů.

Unašeče k řemenům lze připevnit šrouby nebo lze unašeče přilepit, ve speciálních případech lze unašeče přivulkanizovat nebo přivařit.

INTRODUCTION



Both standard and surface belts can be fitted with a wide range of carriers for transporting or sorting.

Carriers can be joined to belts by screws or can be joined by glue, in special cases can be joined by vulcanization or welding.

UPEVNĚNÍ UNAŠEČŮ ŠROUBY PRO RYCHLOU VÝMĚNU



FIXING OF CARRIERS BY SCREW FOR FAST EXCHANGE

TYP N - NA ZUBY / MODEL N - ON THE TOOTH





Podkladový řemen Base belt	B (mm)	X (mm)	Y (mm)
AT10	12	10	5
	25	22	12
	32	22	12
	50	35	25
	75	60	2X25
AT20	50	45	25


Další rozměry na vyžádání
Next dimension on request



One or more teeth may be omitted depending on the size of the carrier.



EINLEGESCHIENE AT10 AUS POLYAMID ODER MESSING MIT M4 L=50MM




Podkladový řemen Base belt	Šířka řemene Width	Závít Thread	Počet závitů No. Of threads	Rozteč závitů Thread pitch
AT10	32	M4	2	20
	50		2	25
	75		3	
	100		4	
AT20	25	M5	1	-
	50		2	25
	75		3	
	100		4	

Další rozměry na vyžádání
Next dimension on request

PRUŽINOVÉ UNAŠEČE / SPRING CARRIERS

Řemeny s pružinovými unašeči se využívají pro zachycení a přenos plochých předmětů.
Belts with spring carriers are often used for catching and transporting flat objects.




ŘEMENY SE ZÁSObNÍKY / BELTS WITH TRAYS

Řemeny se zásobníkovými unašeči pro třídění.
Belts with trays for sorting objects.















STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS




V následující tabulce naleznete standardizované unašeče. Další rozměry na poptávku.
The following table provides standardized carriers. Other dimensions on demand.


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 1.001	 Nr.: 1.002	 Nr.: 1.003
 Nr.: 1.004	 Nr.: 1.005	 Nr.: 1.006
 Nr.: 1.007	 Nr.: 1.008	 Nr.: 1.009
 Nr.: 1.010	 Nr.: 1.011	 Nr.: 1.012


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS




Nr.: 1.013




Nr.: 1.014




Nr.: 1.015




Nr.: 1.016




Nr.: 1.017




Nr.: 1.018




Nr.: 1.019




Nr.: 1.020




Nr.: 1.021



Nr.: 1.022















Nr.: 1.023















Nr.: 1.024

Nr.: 3.001	Nr.: 3.002	Nr.: 3.003
Nr.: 3.004	Nr.: 3.005	Nr.: 3.006
Nr.: 3.007	Nr.: 3.008	Nr.: 3.009
Nr.: 3.010	Nr.: 3.011	Nr.: 3.012












STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.013	 Nr.: 3.014	 Nr.: 3.015
 Nr.: 3.016	 Nr.: 3.017	 Nr.: 3.018
 Nr.: 3.019	 Nr.: 3.020	 Nr.: 3.021
 Nr.: 3.022	 Nr.: 3.023	 Nr.: 3.024

STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.025	 Nr.: 3.026	 Nr.: 3.027
 Nr.: 3.028	 Nr.: 3.029	 Nr.: 3.030
 Nr.: 3.031	 Nr.: 3.032	 Nr.: 3.033
 Nr.: 3.034	 Nr.: 3.035	 Nr.: 3.036

STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS













 Nr.: 3.037	 Nr.: 3.038	 Nr.: 3.039
 Nr.: 3.040	 Nr.: 3.041	 Nr.: 3.042
 Nr.: 3.043	 Nr.: 3.044	 Nr.: 3.045
 Nr.: 3.046	 Nr.: 3.047 weitere Ausführungen auf Anfrage	

weitere Ausführungen
auf Anfrage













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

Nr.: 3.048	Nr.: 3.049	Nr.: 3.050
Nr.: 3.051	Nr.: 3.052	Nr.: 3.053
Nr.: 3.054	Nr.: 3.055	Nr.: 3.056
Nr.: 3.057	Nr.: 3.058	Nr.: 3.059













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.060	 Nr.: 3.061	 Nr.: 3.062
 Nr.: 3.063	 Nr.: 3.064	 Nr.: 3.065
 Nr.: 3.066	 Nr.: 3.067	 Nr.: 3.068
 Nr.: 3.069	 Nr.: 3.070	 Nr.: 3.071













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Technical drawing of a timing belt carrier (Nr.: 3.072). The carrier is L-shaped with dimensions: 20 (height), 25 (width), 75 (length), 5 (thickness), and 4 (fillet radius).	 Technical drawing of a timing belt carrier (Nr.: 3.073). The carrier is L-shaped with dimensions: 4 (height), 15 (width), 6 (thickness), 9.5 (fillet radius), and 16 (length).	 Technical drawing of a timing belt carrier (Nr.: 3.074). The carrier is L-shaped with dimensions: 4 (height), 15 (width), 7 (thickness), 52 (length), and 20 (fillet radius).
Nr.: 3.072	Nr.: 3.073	Nr.: 3.074
 Technical drawing of a timing belt carrier (Nr.: 3.075). The carrier is L-shaped with dimensions: 25 (height), 50 (width), 8 (thickness), and a 120° angle.	 Technical drawing of a timing belt carrier (Nr.: 3.076). The carrier is L-shaped with dimensions: 32 (height), 15 (width), 5 (thickness), 25 (length), 90 (length), and 25 (width).	 Technical drawing of a timing belt carrier (Nr.: 3.077). The carrier is L-shaped with dimensions: 9 (height), 18 (width), 26 (length), 5.5 (thickness), and 3.5 (fillet radius).
Nr.: 3.075	Nr.: 3.076	Nr.: 3.077
 Technical drawing of a timing belt carrier (Nr.: 3.078). The carrier is L-shaped with dimensions: 50 (height), 50 (width), 23.5 (thickness), 30 (length), and 10 (width).	 Technical drawing of a timing belt carrier (Nr.: 3.079). The carrier is L-shaped with dimensions: 120° angle, 10 (height), 60 (width), 10 (thickness), 24 (length), 40 (length), and 10 (width).	 Technical drawing of a timing belt carrier (Nr.: 3.080). The carrier is L-shaped with dimensions: R12 (fillet radius), 100 (height), 33 (width), and 20 (length).
Nr.: 3.078	Nr.: 3.079	Nr.: 3.080
 Technical drawing of a timing belt carrier (Nr.: 3.081). The carrier is L-shaped with dimensions: 15 (height), 17 (width), 5 (thickness), 9 (length), and 3 (width).	 Technical drawing of a timing belt carrier (Nr.: 3.082). The carrier is L-shaped with dimensions: 20 (height), 15 (width), 21 (length), 25 (length), 20 (length), and 35 (length).	 Technical drawing of a timing belt carrier (Nr.: 3.083). The carrier is L-shaped with dimensions: 16 (height), 14 (width), 5.5 (thickness), and 5.5 (length).
Nr.: 3.081	Nr.: 3.082	Nr.: 3.083













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.084	 Nr.: 3.085	 Nr.: 3.086
 Nr.: 3.087	 Nr.: 3.088	 Nr.: 3.089
 Nr.: 3.090	 Nr.: 3.091	 Nr.: 3.092
 Nr.: 3.093	 Nr.: 3.094	 Nr.: 3.095













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.096	 Nr.: 3.097	 Nr.: 3.098
 Nr.: 3.099	 Nr.: 3.100	 Nr.: 3.101
 Nr.: 3.102	 Nr.: 3.103	 Nr.: 3.104
 Nr.: 3.105	 Nr.: 3.106	 Nr.: 3.107


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.108	 Nr.: 3.109	 Nr.: 3.110
 Nr.: 3.111	 Nr.: 3.112	 Nr.: 3.113
 Nr.: 3.114	 Nr.: 3.115	 Nr.: 3.116
 Nr.: 3.117	 Nr.: 3.118	 Nr.: 3.119


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.120	 Nr.: 3.121	 Nr.: 3.122
 Nr.: 3.123	 Nr.: 3.124	 Nr.: 3.125
 Nr.: 3.126	Kanten mit R4 gerundet  Nr.: 3.127	 Nr.: 3.128
 Nr.: 3.129	 Nr.: 3.130	 Nr.: 3.131


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS




Nr.: 3.132




Nr.: 3.133




Nr.: 3.134




Nr.: 3.135




Nr.: 3.136




Nr.: 3.137




Nr.: 3.138




Nr.: 3.139




Nr.: 3.140



Nr.: 3.141














Nr.: 3.142




Nr.: 3.143


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.144	 Nr.: 3.145	 Nr.: 3.146
 Nr.: 3.147	 Nr.: 3.148	 Nr.: 3.149
 Nr.: 3.150	 Nr.: 3.151	 Nr.: 3.152
 Nr.: 3.153	 Nr.: 3.154	


STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS




Nr.: 3.155




Nr.: 3.156




Nr.: 3.157




Nr.: 3.158




Nr.: 3.159




Nr.: 3.160




Nr.: 3.161




Nr.: 3.162



Nr.: 3.163















Nr.: 3.164















Nr.: 3.165













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.166	 Nr.: 3.167	 Nr.: 3.168
 Nr.: 3.169	 Nr.: 3.170	 Nr.: 3.171
 Nr.: 3.172	 Nr.: 3.173	 Nr.: 3.174
 Nr.: 3.175	 Nr.: 3.176	 Nr.: 3.177













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.178	* Höhe variabel  Nr.: 3.179	 Nr.: 3.180
 Nr.: 3.181	 Nr.: 3.182	 Nr.: 3.183
 Nr.: 3.184	 Nr.: 3.185	 Nr.: 3.186
 Nr.: 3.187	 Nr.: 3.188	 Nr.: 3.189










STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.190	 Nr.: 3.191	 Nr.: 3.192
 Nr.: 3.193	 Nr.: 3.194	 Nr.: 3.195
 Nr.: 3.196	 Nr.: 3.197	 Nr.: 3.198
 Nr.: 3.199	 Nr.: 3.200	 Nr.: 3.201













STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.202	 Nr.: 3.203	 Nr.: 3.204
 Nr.: 3.205	 Nr.: 3.206	 Nr.: 3.207
 Nr.: 3.208	 Nr.: 3.209	 Nr.: 3.210
 Nr.: 3.211	 Nr.: 3.212	 Nr.: 3.213










STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.214	 Nr.: 3.215	
 Nr.: 3.216	 Nr.: 3.217	
 Nr.: 3.218	 Nr.: 3.219	
 Nr.: 3.220	 Nr.: 3.221	 Nr.: 3.222

STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.223	 Nr.: 3.224	 Nr.: 3.225
 Nr.: 3.226	 Nr.: 3.227	 Nr.: 3.228
 Nr.: 3.229	 Nr.: 3.230	 Nr.: 3.231
 Nr.: 3.232	 Nr.: 3.233	 Nr.: 3.234

STANDARDIZOVANÉ UNAŠEČE / STANDARD CARRIERS

 Nr.: 3.235	 Nr.: 3.236	 Nr.: 3.237
 Nr.: 3.238	 Nr.: 3.239	 Nr.: 3.240
 Nr.: 3.241	 Nr.: 3.242	 Nr.: 3.243

